

KAMI ELECTRONICS IND. CO., LTD.

High quality low price power transformers using uniformed on-line manufacture overseas.

These transformers with the same construction satisfy all the internal standards.


At the domestic factory, we can cover various types of order if it's small lot for low price and short delivery.

Type PE, PK and PS meet to UL6500 class 130 family program AZSQ2.

PIN TRANSFORMERS (PQ,PE TYPE)

● DOMESTIC(JAPAN) UL CSA IEC*


● TYPE PQ-A



Model	A	B	C	D	VA
※ PQ2811A	29.5	29.0	27.5	4.5	1.0
※ PQ3512A	36.5	33.5	28.5	4.8	2.5
PQ4118A	43.0	37.0	41.0	5.0	8.0

※ There are not meet IEC standard.


● TYPE PQ-C



Model	A	B	C	D	E	F	VA
※ PQ2811C	29.5	29.0	27.5	3.5×4.0	35.5	43.0	1.0
PQ4118C	43.0	37.0	41.0	4.0×6.0	50.0	60.0	8.0
PQ4826C	50.5	44.0	48.0	4.6×6.5	60.0	70.0	15.0

※ This is not meet IEC standard.


● TYPE PE



Model	A	B	C	D	E	F	VA
※ PE2811	28.5	30.0	—	25.5	—	—	1.0
PE3511	35.5	33.0	—	30.0	—	—	2.0
PE3515	35.5	37.0	—	30.0	—	—	3.0
PE4115	41.5	39.0	4.0×6.0	33.5	46.0	54.0	5.0
PE4119	41.5	43.0	4.0×6.0	33.5	46.0	54.0	8.0
PE4124	41.5	48.0	4.0×6.0	33.5	46.0	54.0	10.0
PE4810	48.5	31.0	—	40.5	—	—	6.0
PE4816	48.5	39.0	—	40.5	—	—	8.0
PE4819	48.5	43.0	4.0×6.0	40.5	55.0	65.0	10.0
PE4826	48.5	50.0	4.0×6.0	40.5	55.0	65.0	15.0

※ This is not meet IEC standard.

● TYPE PE-C




Model	A	B	C	D	E	F	VA
PE4115C	43.0	36.0	38.0	4.0×6.0	50.0	60.0	5.0
PE4119C	43.0	36.0	42.0	4.0 6.0	50.0	60.0	8.0
PE4124C	43.0	36.5	47.0	4.0×6.0	50.0	60.0	10.0
PE4190C	43.5	37.0	130.0	2.75BR	31 120	41.0	30.0
PE4819C	50.0	43.5	42.0	4.5×5.5	59.0	70.0	10.0
PE4823C	50.5	44.5	49.0	3.5 6.0	58.6	69.0	13.0
PE4826C	50.5	44.0	49.0	4.6×6.5	60.0	70.0	15.0
PE5422C	56.5	50.0	46.0	4.5 6.5	67.0	78.0	18.0
PE5727C	60.0	51.0	51.5	4.5×6.5	70.0	81.0	30.0

VA means Capacity at 50Hz

HIGH POWER PIN TRANSFORMERS (PK TYPE)


● DOMESTIC(JAPAN) UL CSA IEC

● TYPE PK-AH




Model	A	B	C	D	E	VA
PK5422	56.5	50.0	46.5	67.0	78.0	18.0
PK5725	60.0	51.0	50.5	70.0	81.0	30.0
PK5730	60.0	51.0	55.5	70.0	81.0	35.0
PK5735	60.0	51.0	60.5	70.0	81.0	40.0
PK5740	60.0	51.5	68.5	78.0	90.0	45.0
PK6625	68.5	59.0	53.5	84.5	96.5	35.0
PK6635U	68.5	59.0	63.5	81.0	92.0	55.0
PK6645U	68.5	60.0	73.5	83.5	96.5	70.0
PK6655U	72.5	65.0	83.5	87.0	101.0	90.0
PK7640U	84.0	70.0	73.0	98.0	112.0	100.0

● TYPE PK-FH




Model	A	B	C	D	E	F	VA
PK7660U	90.0	78.0	93.0	71.0	79.0	90.0	150.0
PK7670U	90.0	78.0	111.0	72.0	93.0	105.0	180.0
PK7680	90.0	78.0	113.0	72.0	103.0	115.0	190.0
PK8560U	100.0	84.0	97.0	80.0	83.0	99.0	220.0
PK8570U	100.0	84.0	107.0	80.0	93.0	109.0	275.0
PK8580	100.0	84.0	117.0	80.0	103.0	119.0	280.0
PK9660	112.0	93.0	99.5	85.0	90.0	100.0	300.0
PK9680	112.0	93.0	120.5	85.0	103.0	120.0	320.0

● TYPE PK-AV



Model	A	B	C	D	E	VA
PK5422	47.5	58.0	46.5	58.5	68.5	18.0
PK5725	50.0	61.0	50.5	60.0	72.0	30.0
PK5730	50.0	61.5	55.5	71.0	84.0	35.0
PK5735	50.0	61.5	60.5	71.0	84.0	40.0
PK5740	50.5	62.0	68.5	70.0	82.0	45.0
PK6625	58.0	71.0	53.5	71.0	85.0	35.0
PK6635U	58.0	71.0	63.5	71.0	85.0	55.0
PK6645U	61.5	75.0	73.5	76.0	90.0	70.0
PK6655U	61.5	75.0	83.5	76.0	90.0	90.0

● TYPE PK-FV



Model	A	B	C	D	E	F	VA
PK7640U	78.0	83.0	73.0	72.0	62.0	75.0	100.0
PK7650U	78.0	83.0	80.0	72.0	69.0	85.0	130.0
PK7660U	78.0	83.0	93.0	72.0	79.0	95.0	150.0
PK7670U	78.0	83.0	110.0	76.0	89.0	105.0	180.0
PK7680	78.0	83.0	113.0	76.0	99.0	115.0	190.0
PK8550U	90.0	97.0	89.0	72.0	79.0	94.0	200.0
PK8560U	90.0	97.0	97.0	78.0	83.0	100.0	220.0
PK8570U	90.0	97.0	107.0	78.0	93.0	110.0	275.0
PK8580	90.0	97.0	117.0	78.0	103.0	120.0	280.0
PK9660	91.0	109.0	99.5	76.0	79.0	100.0	300.0
PK9670	91.0	109.0	120.0	84.0	89.0	110.0	310.0
PK9680	91.0	109.0	130.0	76.0	99.0	120.0	320.0

VA means Capacity at 50Hz